


EDmarket
EDUCATION MARKET ASSOCIATION

MEETS/EXCEEDS
ANSI/ BIFMA 5.5

CPSIA/CARB
COMPLIANT


SMITH CARREL

FULL PRODUCT CATALOG

sales@smithcarrel.com | 877.410.6994

1500 Series Computer Tables

CABLE MANAGEMENT TRAY **STANDARD**



▲ 2 each Model 01561C 30"x60" tables with 01575C 5-sided Corner Table

HIGH PRESSURE **LAMINATE**



Optional
01531 CPU Holder

▲ 01556C Oak, 24x72 Computer Table shown with options 01530 Keyboard Trays, 01531 CPU Holder

Specify Color: Bannister Oak or Grey Nebula
Other Wilsonart laminates available, call for details

Sturdy enough for all institutional uses!

These tables are built to last with quality components, including a $^{13}/_{16}$" thick solid core high pressure laminate work surface with black 3mm PVC edge. Two 3" diameter wiring grommets lead from the work surface into a 5"H x 3¼"D x 16-gauge wire management tray. The top is supported by a 14-gauge 1 ¾" high no-sag rail system for superior strength and durability. The legs are 1 ¼" square 14-gauge chrome plated or black powder coated steel available in 25"-29" adjustable height or 29" fixed height (ADA leg inserts are also available, see page 10). Legs interlock with the rail system to promote a very solid structure. Equipped with non-marring adjustable leveling glides. All painted components are finished with black baked on epoxy powder paint. Shipped ready to assemble.

Chrome finish or black baked on powder finish

Optional
01532 Power Modules



▲ 01561B Oak Computer Table, 30" x 60", with optional (2) 01532 Power Modules

1500 SERIES COMPUTER TABLES


Adjustable Height Models


Black	Chrome	Description	Height	Wt.
01549B	01549C	30"D x 48"W Top	25"-29"	76
01554B	01554C	24"D x 48"W Top	25"-29"	67
01555B	01555C	24"D x 60"W Top	25"-29"	76
01556B	01556C	24"D x 72"W Top	25"-29"	88
01561B	01561C	30"D x 60"W Top	25"-29"	88
01573B	01573C	30"D x 72"W Top	25"-29"	103
01575B	01575C**	30"D x 48"W 5-sided	25"-29"	105

Fixed Height Models

01548B	01548C	30"D x 48"W Top	29" Fixed	76
01551B	01551C	24"D x 48"W Top	29" Fixed	67
01552B	01552C	24"D x 60"W Top	29" Fixed	76
01553B	01553C	24"D x 72"W Top	29" Fixed	88
01560B	01560C	30"D x 60"W Top	29" Fixed	88
01572B	01572C	30"D x 72"W Top	29" Fixed	103
01574B	01574C**	30"D x 48"W 5-sided	29" Fixed	105

**5 Sided Corner Table is not for use as a stand alone unit. It is equipped with two wire mgmt. trays, one on each 48" side, and four legs, but must be connected to a main unit on each 30" side.





Welded corner post legs interlock with the rail system to create this non-wobble connection.

SMITH CARREL, INC. • Toll Free (877) 410-6994 • Phone (972) 272-6994 • Fax (972) 272-7208 • www.smithcarrel.com • info@smithcarrel.com

30"D Modular Computer Carrel

Modular carrels create a semi-private atmosphere that is conducive to learning by reducing distractions and allowing students to focus on their own tasks. Modular design allows for custom installations to suit your needs. Join adder units to starter units to form runs in 3' wide modules, i.e. 6', 9', 12', etc.

All panels are constructed of ¾" thermally fused laminate over 45 lb. industrial grade particle board. Panels feature special fasteners for strong, easy assembly. Work surface includes wiring grommet for cable management. Includes a 1 ¾"H x 14-gauge full perimeter rail system for support. Legs are 1 ¼" square 14-gauge steel finished in either chrome or baked on black epoxy powder paint. Legs include 1" leveling guides. Shipped ready to assemble.


QUICK FACTS

- 28 ½"D work surface for large monitor and keyboard or large study area

- 18" clearance beneath shelf for large monitors



▲ 01385D Starter with Accessories



Modular Computer Carrel Dimensions

EXCELLENT FOR LARGE MONITORS!



▲ 01385D Starter

COMPUTER CARRELS	Type	Model No.	Wt.
Specify Color: See Below / Add color suffix to model number			
Fixed Height		**Freight Class 70**	
Overall: 30"D x 37"W x 49 ½"H with 29" high work surface.	Starter	01307	122
	Adder	01317	96
Adjustable Height			
Overall: 30"D x 37"W x 49 ½"H in highest position. Work surface adjusts from 24" to 29" high.	Starter	01385	122
	Adder	01395	96

SEE PAGE 10 FOR CARREL ACCESSORIES

COLOR CHOICES — *Add color suffix to model number (Ex. 01307B)*
Feet and lower legs of adjustable and pedestal models are always chrome

Specify Suffix	Panels & Shelf	Work Surface	Rail System	Corner Post Legs
C	GREY NEBULA	GREY NEBULA	BLACK	CHROME
D	GREY NEBULA	GREY NEBULA	BLACK	BLACK
E	OAK	OAK	BLACK	CHROME
F	OAK	OAK	BLACK	BLACK
G	CHERRY	CHERRY	BLACK	BLACK
I	CHERRY	CHERRY	BLACK	CHROME
J	OAK	SAND	BLACK	CHROME

Other color combinations available upon request



Toll Free (877) 410-6994 • Phone (972) 272-6994 • Fax (972) 272-7208 • www.smithcarrel.com • info@smithcarrel.com • SMITH CARREL, INC.

Hi-Lo Carrel (ADA Compliant)

Style Meets Function...

The Hi-Lo Carrel, 30"D x 32 ½"W, adjusts from a user friendly keyboard height of 27" to a standing Kiosk height of 39" in 1" increments. Available in three popular Wilsonart colors. Includes (2) 3" diameter cutouts for wiring along with a CPU holder (shelf) located under the work surface, 8 ¼"D x 30 ½"W, with 16 ¼" height clearance for large CPU's. All panels are ¾" thick thermally fused laminate with 1 ¼" square, 14-gauge, black powder coated legs. ***This quality unit is now ADA compliant.*** The front edge of the work surface has soft rounded 3mm edge banding for arm comfort. Shipped ready to assemble.

QUICK FACTS

- Adjusts from 27" keyboard height to 39" standing height

- Includes CPU shelf




Adjustable height – from keyboard/desk to kiosk!

▲ 02485G Wild Cherry Hi-Lo Carrel



Shelf for computer CPU or for storage

▲ 02485H Fusion Maple Hi-Lo Carrel



Hi-Lo Carrel Dimensions



▲ 02485G Wild Cherry Hi-Lo Carrel

COLOR CHOICES	*Add color suffix to model number (Ex. 02485D)* Feet and lower legs of adjustable and pedestal models are always chrome		
Specify Suffix	Panels & Shelf	Work Surface	Corner Post Legs
D	GREY NEBULA	GREY NEBULA	BLACK
G	WILD CHERRY	WILD CHERRY	BLACK
H	FUSION MAPLE	FUSION MAPLE	BLACK







HI-LO CARREL	Type	Model No.	Wt.
Specify Color: See Left / Add color suffix to model number			
Adjustable Height	**Freight Class 70**		
Overall: 30"D x 32 ½"W x 45-57"H with 27" to 39" high work surface	Starter	02485	128

SEE PAGE 10 FOR ACCESSORIES

SMITH CARREL, INC. • Toll Free (877) 410-6994 • Phone (972) 272-6994 • Fax (972) 272-7208 • www.smithcarrel.com • info@smithcarrel.com

Kiosk Carrel w/Printer Shelf & CPU Holder


Designed By Request...

Since the inception of the Hi-Lo Carrel in 2008 (shown on opposite page), Smith Carrel has had numerous requests for a standing unit with space for a printer. This adjustable height Kiosk offers a totally complete stand-alone work station with privacy. The model #02385 is 30"D x 32 ½"W, and with a standing work surface height of 39" adjustable to a low of 27" in 1" increments. The printer/CPU holder shelf has 15 ¾" height clearance and is 22 ¾"D x 30 ½"W. Wiring grommets are standard. Shipped ready to assemble.

QUICK FACTS

- Standing height

- Includes Printer shelf & CPU holder



Kiosk Carrel Dimensions



▲ 02385D Grey Nebula Kiosk Carrel



▲ 02385G Wild Cherry Kiosk Carrel



▲ 02385H Fusion Maple Kiosk Carrel

KIOSK CARREL	Type	Model No.	Wt.
Specify Color: See Left / Add color suffix to model number			
Adjustable Height	**Freight Class 70**		
Overall: 30"D x 32 ½"W x 45-57"H with 27" to 39" high work surface	Starter	02385	136

COLOR CHOICES

Add color suffix to model number (Ex. 02385G)

Feet and lower legs of adjustable and pedestal models are always chrome

Specify Suffix	Panels & Shelf	Work Surface	Corner Post Legs
D	GREY NEBULA	GREY NEBULA	BLACK
G	WILD CHERRY	WILD CHERRY	BLACK
H	FUSION MAPLE	FUSION MAPLE	BLACK







SEE PAGE 10 FOR ACCESSORIES

Toll Free (877) 410-6994 • Phone (972) 272-6994 • Fax (972) 272-7208 • www.smithcarrel.com • info@smithcarrel.com • SMITH CARREL, INC.

Pedestal Base Carrel

Adjustable height work surface 22" to 30". ¾" solid core thermally fused laminate panels in your choice of colors shown below. Work surface includes wiring grommet. Full 14-gauge rail system and upper leg sockets. 1 ¼" sq. x 16-gauge stabilizer bar. Finished with baked on epoxy powder. Chrome adjustable legs are 1" x 2" x 16-gauge tubing with 1" leveling glides. Overall dimensions: 24"D x 37"W x 47"H in maximum height position. Panels feature special fasteners for strong, easy assembly. Shipped ready to assemble.

QUICK FACTS

- **This is our most popular carrel**
- **More leg space for two person conferences at this desk**



▲ 01700C Pedestal Carrel




▲ 01700E Pedestal Carrel



▲ 01700J Pedestal Carrel



▲ 01700G Pedestal Carrel



Pedestal Base Carrel Dimensions

COLOR CHOICES

Add color suffix to model number (Ex. 01700A)

Feet and lower legs of adjustable and pedestal models are always chrome

Specify Suffix	Panels & Shelf	Work Surface	Rail System Upper Ped.	"T" Legs
C	GREY NEBULA	GREY NEBULA	BLACK	CHROME
E	OAK	OAK	BLACK	CHROME
G	CHERRY	CHERRY	BLACK	CHROME
J	OAK	SAND	BLACK	CHROME

Other color combinations available upon request







PEDESTAL BASE CARRELS

Model No.	Type	Wt.
01700	Starter	107

SEE PAGE 10 FOR ACCESSORIES

SMITH CARREL, INC. • Toll Free (877) 410-6994 • Phone (972) 272-6994 • Fax (972) 272-7208 • www.smithcarrel.com • info@smithcarrel.com

Single Modular Carrels



▲ 01285F Starter

Modular carrels create a semi-private atmosphere that is conducive to learning by reducing distractions and allowing students to focus on their own tasks. Modular design allows for custom installations to suit your needs. Join adder units to starter units to form runs in 3' wide modules, i.e. 6', 9', 12', etc.

All panels are constructed of ¾" thermally fused laminate over 45 lb. industrial grade particle board. Panels feature special fastners for strong, easy assembly. Work surface includes wiring grommet for cable management. Includes a 1 ¾"H x 14-gauge full perimeter rail system for support. Legs are 1 ¼" square 14-guage steel finished in either chrome or baked on black epoxy powder paint. Legs include 1" leveling guides. Shipped ready to assemble.



▲ 01285C Starter Unit with 01295C Adder

QUICK FACTS

- Our Model 01607 is the most cost effective single carrel in this catalog



Adjustable Height



▲ 01285J Starter

SINGLE MODULAR CARRELS	Type	Model No.	Wt.
Specify Color: See Below / Add color suffix to model number			
Fixed Height		Freight Class 70	
Overall: 24"D x 37"W x 46"H with 29" high work surface	Starter	01607	97
	Adder	01617	80
Adjustable Height			
Overall: 24"D x 37"W x 46"H in highest position. Work surface adjusts from 24" to 29" high.	Starter	01285	97
	Adder	01295	80

SEE PAGE 10 FOR CARREL ACCESSORIES


COLOR CHOICES *Add color suffix to model number (Ex. 01285A)*

Feet and lower legs of adjustable and pedestal models are always chrome

Specify Suffix	Panels & Shelf	Work Surface	Rail System	Corner Post Legs
C	GREY NEBULA	GREY NEBULA	BLACK	CHROME
D	GREY NEBULA	GREY NEBULA	BLACK	BLACK
E	OAK	OAK	BLACK	CHROME
F	OAK	OAK	BLACK	BLACK
G	CHERRY	CHERRY	BLACK	BLACK
I	CHERRY	CHERRY	BLACK	CHROME
J	OAK	SAND	BLACK	CHROME

Other color combinations available upon request





Single Modular Carrel Dimensions

Toll Free (877) 410-6994 • Phone (972) 272-6994 • Fax (972) 272-7208 • www.smithcarrel.com • info@smithcarrel.com • SMITH CARREL, INC.

Maximum Privacy Testing Carrel



Large 30"D End Panels extend 6 ½" out front of and 20" above the work surface

▲ 01107G Starter

Modular carrels create a semi-private atmosphere that is conducive to learning by reducing distractions and allowing students to focus on their own tasks. Modular design allows for custom installations to suit your needs. Join adder units to starter units to form runs in 3' wide modules, i.e. 6', 9', 12', etc.

All panels are constructed of ¾" thermally fused laminate over 45 lb. industrial grade particle board. Panels feature special fasteners for strong, easy assembly. Work surface includes wiring grommet for cable management. Includes a 1 ¾"H x 14-gauge full perimeter rail system for support. Legs are 1 ¼" square 14-gauge steel finished in either chrome or baked on black epoxy powder paint. Legs include 1" leveling guides. Shipped ready to assemble.

QUICK FACTS

- Extra privacy for testing areas, detention centers, etc.

- 18" clearance beneath shelf for large monitors

MAX PRIVACY CARRELS	Type	Model No.	Wt.
Specify Color: See Below / Add color suffix to model number			
Fixed Height		**Freight Class 70**	
Overall: 30"D x 37"W x 49 ½"H with 29" high work surface	Starter	01107	111
	Adder	01117	90
Adjustable Height			
Overall: 30"D x 37"W x 49 ½"H in highest position. Work surface adjusts from 24" to 29" high	Starter	01185	111
	Adder	01195	90

SEE PAGE 10 FOR CARREL ACCESSORIES

COLOR CHOICES *Add color suffix to model number (Ex. 01107D)*

Feet and lower legs of adjustable and pedestal models are always chrome


Specify Suffix	Panels & Shelf	Work Surface	Rail System	Corner Post Legs
C	GREY NEBULA	GREY NEBULA	BLACK	CHROME
D	GREY NEBULA	GREY NEBULA	BLACK	BLACK
E	OAK	OAK	BLACK	CHROME
F	OAK	OAK	BLACK	BLACK
G	CHERRY	CHERRY	BLACK	BLACK
I	CHERRY	CHERRY	BLACK	CHROME
J	OAK	SAND	BLACK	CHROME

Other color combinations available upon request









Maximum Privacy Modular Carrel Dimensions

SMITH CARREL, INC. • Toll Free (877) 410-6994 • Phone (972) 272-6994 • Fax (972) 272-7208 • www.smithcarrel.com • info@smithcarrel.com

Sit-Stand Training Carrel

w/ Cable Management

The Training Carrel is standard with a full width cable management tray, 5" high and 3 ¼" deep steel, and (2) wiring grommets. The work surface is high pressure laminate supported by a 14-gauge black powder coated heavy duty frame. The height of the work surface is adjustable from 30" sitting to 40" standing height in 1" increments. Will support 300+ pounds. ADA Compliant. CPU Holders, Keyboard Trays and other accessories are available. See page 10.

Shipped ready to assemble.

QUICK FACTS

- 30" to 40" height

- Sit-stand work surface


-Cable management standard




▲ 01838K Bannister Oak
Sit-Stand Training Carrel
30" x 48"



▲ 01829D Grey Nebula
Sit-Stand Training Carrel
24" x 60"



Sit-Stand Training Carrel Dimensions



SIT-STAND TRAINING CARRELS	Model No.	Wt.
Specify Color: See Below / Add color suffix to model number		
Adjustable Height		
24"D x 48"W x 30" to 40"H	01828	116
24"D x 60"W x 30" to 40"H	01829	130
30"D x 48"W x 30" to 40"H	01838	132
30"D x 60"W x 30" to 40"H	01839	149

SEE PAGE 10 FOR CARREL ACCESSORIES

COLOR CHOICES

Add color suffix to model number (Ex. 01828D)


Feet and lower legs of adjustable and pedestal models are always chrome

Specify Suffix	Panels	Work Surface	Corner Post Legs
D	BLACK/SAND	GREY NEBULA	BLACK
K	BLACK/SAND	BANNISTER OAK	BLACK

Conference Carrel



The Conference Carrel is a one of a kind unit designed for use when one-on-one interaction is required. The extra long side panels extend 9" past the work surface on both the front and back sides providing users with a private setting. The work surface is 29 ½" deep x 35 ½" wide and available in adjustable or fixed height. Shipped ready to assemble.



Conference Carrel Dimensions

SIDE PANELS EXTEND
ON BOTH SIDES



▲ 01085C Starter

CONFERENCE CARRELS	Type	Model No.	Wt.
Specify Color: See Below / Add color suffix to model number			
Fixed Height	**Freight Class 70**		
Overall: 48"D x 37"W x 46 3/4"H with 29" high work surface	Starter	01027	123
	Adder	01037	94
Adjustable Height			
Overall 48"D x 37"W x 46 3/4" H in highest position. Work surface adjusts from 24" to 29" high	Starter	01085	123
	Adder	01095	94

COLOR CHOICES

Add color suffix to model number (Ex. 01085C)

Feet and lower legs of adjustable and pedestal models are always chrome

Specify Suffix	Panels & Shelf	Work Surface	Rail System	Corner Post Legs
C	GREY NEBULA	GREY NEBULA	BLACK	CHROME
D	GREY NEBULA	GREY NEBULA	BLACK	BLACK
J	OAK	SAND	BLACK	CHROME

Other color combinations available upon request






Double Modular Carrels



▲ 01627A Starter



Double Modular Carrel Dimensions

Double carrels are the most cost effective per work station

Modular carrels create a semi-private atmosphere that is conducive to learning by reducing distractions and allowing students to focus on their own tasks. Modular design allows for custom installations to suit your needs. Join adder units to starter units to form runs in 3' wide modules, i.e., 6', 9', 12', etc.

All panels are constructed of ¾" thermally fused laminate over 45 lb. industrial grade particle board. Panels feature special fasteners for strong, easy assembly. Work surface includes wiring grommet for cable management. Includes a 1 ¾"H x 14-gauge full perimeter rail system for support. Legs are 1 ¼" square 14-gauge steel finished in either chrome or baked on black epoxy powder paint. Legs include 1" leveling guides. Shipped ready to assemble.

DOUBLE MODULAR CARRELS	Type	Model No.	Wt.
Specify Color: See Below / Add color suffix to model number			
Fixed Height			
Overall: 48"D x 37"W x 46"H with 29" high work surface	Starter	01627	153
	Adder	01637	127
Adjustable Height			
Overall: 48"D x 37"W x 46"H in highest position. Work surface adjusts from 24" to 29" high.	Starter	01286	153
	Adder	01296	127

COLOR CHOICES — *Add color suffix to model number (Ex. 01286C)*

Feet and lower legs of adjustable and pedestal models are always chrome

Specify Suffix	Panels & Shelf	Work Surface	Rail System	Corner Post Legs
C	GREY NEBULA	GREY NEBULA	BLACK	CHROME
D	GREY NEBULA	GREY NEBULA	BLACK	BLACK
E	OAK	OAK	BLACK	CHROME
F	OAK	OAK	BLACK	BLACK
J	OAK	SAND	BLACK	CHROME


Other color combinations available upon request








Accessories for Carrels and 1500 Series Computer Tables






























Model	Accessory Description	Wt.
(A) 01531	CPU Holder for 24" or 30" deep units Adjustable to any size CPU	7
(B) 01522	Wiring Bridge/Black Powder Coat	2
(C) 01523	"D" Cord Management Plastic Extrusion	1
(D) 01524	2 ⅜" x 18" Tie Plate for 1500 Series Tables	1
(E) 01526	Set of (4) ADA 25" - 35" Leg Inserts	6
(F) 01527	25 ½"W x 11 ¾"D Keyboard/Mouse Tray	11
(G) 01528	Set of (4) 3" Swivel Casters/2 Locking, must be used with Adj. Ht. Legs (Adj. Ht. 29" - 32")	1

Model	Accessory Description	Wt.
(H) 01530	20"W x 11 ¾"D Keyboard Tray	10
(I) 01650	6 Outlet Surge Protected Power Strip	2
(J) 01651	LED Undershelf Light Fixture	4
(K) 01654	Wire Management Tray for Carrels	7
(L) 01532	Power Module with 1 AC Receptacle and 2 USB Charging ports. Includes 10' power cord. *Fits into 3" grommet holes in Computer Tables and Carrels*	2

Toll Free (877) 410-6994 • Phone (972) 272-6994 • Fax (972) 272-7208 • www.smithcarrel.com • info@smithcarrel.com • SMITH CARREL, INC.

SMITH CARREL



BRING LEARNING TO A HIGHER LEVEL